



RE: Metal Bank 
John Monsees to: Sharon Fang

07/22/2008 08:46 AM

Sharon:

Exemption 5 - Atty Client Com

Sharon Fang/R3/USEPA/US



Sharon Fang/R3/USEPA/US

07/22/2008 08:35 AM

To "McCormick, Erika F NAP@SAW"
<Erika.F.McCormick@usace.army.mil>

cc Exemption 4 - CBI, John Monsees/R3/USEPA/US@EPA

Subject RE: Metal Bank 

Hi Erika,

We are looking for a short turn around time on these. Please let us know what the pricing is for 3 day and 7 day.

Do you have the indefinite delivery contract on board for CLP? Since these are not splits, we can use CLP if it's easier contract wise. I understand the quality of the data for decision making purposes will not be compromised.

We are expecting three samples- one of surface water inside the turbidity curtain, one of surface water and sheen emanating from the curtain, and one from the waste pile runoff.

Sharon Fang, P.E.
Eastern Pennsylvania Remedial Branch
Environmental Protection Agency, Region III
1650 Arch Street, 3HS21
Philadelphia, PA 19103-2029
phone 215-814-3018, fax 3002
mobile phone 215-514-8674
"McCormick, Erika F NAP@SAW" <Erika.F.McCormick@usace.army.mil>



**"McCormick, Erika F
NAP@SAW"
<Erika.F.McCormick@usace.
army.mil>**

07/22/2008 08:20 AM

To Sharon Fang/R3/USEPA/US@EPA

cc

Subject RE: Metal Bank

Does 21 Day Turn around meet your needs?
Assuming SW846 methods and not CLP methods for this event.

I will provide a summary for you to review and approve once all is in order?

-----Original Message-----

From: Fang.Sharon@epamail.epa.gov [mailto:Fang.Sharon@epamail.epa.gov]
Sent: Tuesday, July 22, 2008 6:55 AM
To: Gibison, Thomas M NAP
Cc: McCormick, Erika F NAP@SAW; Sirkis, Daniel M NAP; [Exemption 4 - CBI]
Subject: Fw: Metal Bank

Hi Tom,

I left you a voice mail on this. Sorry for the extremely short notice, but the PRPs aren't playing nice. Could we have Erika set up a lab for the samples outlined below? They will be taken today. and properly stored until we can get a lab.

Here is Table 4-1 that [Exemption 4 - CBI] is referring to. We want to have the samples analyzed for the surface water parameters listed ([Exemption 4 - CBI] forgot to list dioxin as well). Thanks,

Sharon Fang, P.E.
Eastern Pennsylvania Remedial Branch
Environmental Protection Agency, Region III 1650 Arch Street, 3HS21
Philadelphia, PA 19103-2029 phone 215-814-3018, fax 3002 mobile phone 215-514-8674

----- Forwarded by Sharon Fang/R3/USEPA/US on 07/22/2008 06:43 AM -----

[Exemption 4 - CBI]
[Exemption 4 - CBI]

07/21/2008 06:44
PM

Sharon Fang/R3/USEPA/US@EPA

To

cc

Subject

Metal Bank

Sharon,

[Exemption 4 - CBI] checked the sampling methods used by the PRP and they are all current.

Per your request, CDM will collect surface water samples at the site tomorrow - specifically inside and outside the boom where the oil sheen is floating, and also from the pooled water/oil coming off the excavated materials from the sheet pile excavation in the Southern Area. We understand that you will obtain a lab through the USACE. We will use the bottleware for the CLP SOM01.2 method as presented in our SAP on Table 4-1. This should give us enough volume for the USACE to use in their analysis. We will sample for VOCs, SVOCs, pesticides/PCBs and TAL metals and cyanide.

We will also begin making arrangements to procure the lab with the EPA Clients Service Team for

- * Stockpile soil samples
- * Construction water samples
- * Surface water samples

I will let you know when the labs have been obtained.

Thanks.

Exemption 4 - CBI

CDM

Exemption 4 - CBI

Exemption 4 - CBI (fax)